



WILLIAM J. TUCKER  
Patent Attorney  
14431 Goliad Dr.  
Malakoff, Texas 75148

E-Mail: wjtpatentlaw@direcway.com

Telephone: (903) 489-2198  
Facsimile: (903) 489-2198

October 16, 2004

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents,  
P.O. Box 1450  
Alexandria, VA 22313-1450

on November 6, 2004

Signature

*W. J. Tucker*

Re: Applicant(s): Joseph P. Day et al.  
Serial No. 10/090,196  
Filing Date: March 4, 2002  
For: **ELECTROPHORETIC INORGANIC POROUS MATERIAL**  
Docket No.: SP01-310 (WJT003-0010)

Dear Sir:

Transmitted for filing with the Patent and Trademark Office are the following documents for the above-referenced patent application:

1. Response to Notice of Non-Compliant Amendment dated October 29, 2004.
2. Acknowledgment Postcard.

Please address all communications related to this to:

Corning Incorporated  
SP-TI-03-1  
Corning, NY 14831

In the event there is an under or over payment, please debit or credit our Deposit Account # 50-1481.

Respectfully submitted,

*W. J. Tucker*

William J. Tucker  
Registration No. 41,356



1753

Patent Application  
Docket No. SP01-310  
WJT003-0010

JDW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Joseph P. Day et al. )  
 )  
 ) Group No. 1753  
 )  
Serial No.: 10/090,196 ) Examiner: Brian L. Mutschler  
 )  
Filed: March 4, 2002 )  
For: **ELECTROPHORETIC INORGANIC POROUS MATERIAL**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the  
United States Postal Service as first class mail in an envelope  
addressed to:

Commissioner for Patents,  
P.O. Box 1450  
Alexandria, VA 22313-1450

on November 6, 2004

Signature *W. J. Day*

Dear Sir:

**RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT**

In response to the Office communication dated October 29, 2004, please enter the entire "In the Drawings" section as follows: